

Vaccination Schedule – A Lifetime of Protection

Vaccinations should begin early in an infant’s life and continue on a regular basis to adolescence. If your infant is allergic to eggs, please consult your pediatrician.

Recommended Age	VACCINE
Birth	BCG HepB (1)
2 months	IPV – DtaP-HepB-Hib, Hexavalent (1) Pneumococcal conjugate – 13 (1) Rotavirus (1)
4 months	IPV – DtaP-HepB-Hib, Hexavalent (2) Pneumococcal conjugate – 13 (2) Rotavirus (2)
6 months	IPV – DtaP-HepB-Hib, Hexavalent (3) OPV (1) Pneumococcal conjugate – 13 (3) Rotavirus (3) if required, consult your pediatrician
9 months	Measles (monovalent) Meningococcal conjugate (1)
12 months	OPV (2) MMR#1 Varicella Pneumococcal conjugate – 13 (4) Meningococcal conjugate – 13 (2)
18 months	OPV (3) DTaP/Hib or DTP/Hib (4) Hep A (1) MMR#2
24 months	Hep A (2)
4 – 6 years	OPV (4) DTaPd (5) Varicella (2) MMR#3
11 – 12 years	Tdap Meningococcal conjugate (3)
16 – 18 years	Meningococcal conjugate (4)
Adults	Tdap booster every 10 years

Annual influenza vaccination recommended for all adults and children aged 6 months and older.